

## Socket with black USB charger Simon 100

REF. 10001458-039



### BASIC INFORMATION

#### FINISH

Black

#### PACKAGING CONTENTS

Mechanism and instructions

#### COMPATIBILITY

Frames Simon 100

#### ETIM CLASS

EC000125

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CURRENT (A)

16 A

### MONOBLOCK

No

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### IP RATING

IP20

### OPERATING TEMPERATURE

RANGE (°C)

0 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE

(°C)

-25 - 75 °C

### FORMAT

French,USB

### TYPE OF MECHANISM

Insertion

### VERSION

Unique

### INDICATOR FUNCTION

No

## INSTALLATION AND MAINTENANCE

### CLAW

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for flush mounting

### TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053194973

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053194973

PACKAGING VOLUME

0

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

0

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

0

PACKAGING NET WEIGHT

0.084

UNITARY PACKAGING GROSS  
WEIGHT

0.084

PACKAGING LENGTH

0

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.084

