

Strip of LED Current Stabilizer 4000K IP65

REF. 81086100-984



BASIC INFORMATION

APPLICATION

General lighting, Indoor
decorative lighting

ETIM CLASS

EC002706

TECHNICAL INFORMATION

IP RATING

IP65

COLOR TEMPERATURE (K)

4000 K

LUMENS/W

8000

OPERATING TEMPERATURE RANGE (°C)

-20 - 40 °C

CRI

80

OPTICS

General

LUMENS (LM)

8000 lm

POWER (W)

16 W

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Hardware

REGULATIONS

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053231036

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053231036

PACKAGING VOLUME

0

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

0

PACKAGING GROSS WEIGHT

0.53

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

250

PACKAGING NET WEIGHT

0.412

UNITARY PACKAGING GROSS
WEIGHT

0.53

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.412