
Custom button box 6 functions lighting and temperature control with LON coupling unit and slide control regulator cold aluminium Simon 82 Sense

REF. **8000673-093**



BASIC INFORMATION

FINISH
Matt aluminium

MATERIAL
Thermoplastic

PACKAGING CONTENTS
Coupling unit, keypad, Slide Control, RJ12 cable and instructions

REMARKS
Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 0,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
2 elements

INDICATOR FUNCTION
Yes

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Touch

OPERATING TEMPERATURE RANGE (°C)
0 - 45 °C

POWER SUPPLY (V~)
24 Vdc

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION
Por inserción

CABLE STRIPPING NECESSARY (MM)
8

CLAW
Optional

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

REGULATIONS

REGULATIONS
EN 50428; EN 60669; EN 50491-1; EN 50491-2; EN14908-1; EN14908-2

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053129142

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.17

PRODUCT NET WEIGHT
0.17

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053129142

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
83

PACKAGING WIDTH
80

PACKAGING LENGTH
120

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.797

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.17

PACKAGING NET WEIGHT
0.17

PACKAGING WEIGHT UNIT
KGM