

Tandem fastening bracket under raised floor for Ofiblock Plus and Ofiblock Compact aluminium profiles Simon K45

REF. KSF2



BASIC INFORMATION

DESCRIPTION

For a perfect fit in Ofiblock Plus aluminium profiles and Ofiblock Compact, Simon K45 offers the tandem fastening bracket under raised floor to ensure the integration of the set in the space and to ensure maximum functionality in a space with a dimension 87 x 180 mm. Made of galvanised steel, ensuring greater durability of the product, and can reach a temperature range of -5 more than 60 °C. Security, functionality and innovation in the minimum space with the tandem fastening bracket for Simon K45.

FINISH

Galvanised steel

MATERIAL

Metal

COMPATIBILITY

Simon K45 Ofiblock Plus and Ofiblock Compact aluminium profiles

PACKAGING CONTENTS

Tandem fastening bracket under raised floor and installation manual.

ETIM CLASS

EC002649

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

INSULATION RESISTANCE (V-MΩ)

>5 MOhm at 500 V

IP RATING

IP4X

KIT AVAILABILITY

No

LINKABLE

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

TYPE OF FASTENING

Through the fastening of the bracket using screws and subsequent linking through the rear DIN rail on the Ofiblock profile.

SCREWS REQUIRED FOR SLAB FIXING

4 (2 per side)

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436037052

PRODUCT NET WEIGHT

0.135

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

472500

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436037052

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

45

PACKAGING NET WEIGHT

0.135

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

105

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.135

PACKAGING LENGTH

100