simon

Plate for inductive R/TV/SAT sockets cold aluminium Simon 82 Detail

REF. 82097-93



BASIC INFORMATION

FINISH MATERIAL PACKAGING CONTENTS

Aluminium Plastic Plate

SYMBOL COMPATIBILITY ETIM CLASS

R-TV+SAT Simon 75 mechanisms EC000018

REMARKS

Available in 6 finishes. It is recommended to choose a frame with the same base colour as the selected rocker.



simon

TECHNICAL INFORMATION

NUMBER OF POSSIBLE

ELEMENTS

1 item

FORMAT

R/TV,SAT

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain

chlorine.

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush

mounting

REGULATIONS

REGULATIONS

Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50083-2:2012 + EN 50581:2012



simon

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053259870

UNITARY PACKAGING GROSS

WEIGHT

0.017

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING LENGTH

0

PRODUCT NET WEIGHT

0.017

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME

UNIT

MMQ

UNITARY PACKAGING WEIGHT

UNIT

KGM

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053120811

PACKAGING GROSS WEIGHT

0

PACKAGING HEIGHT

83

PACKAGING LENGTH

221

PACKAGING NET WEIGHT

0.34

UNITS CONTAINED PACKAGING

20

PACKAGING MEASUREMENT

UNIT

MMT

PACKAGING VOLUME

3026595

PACKAGING VOLUME UNIT

MMQ

PACKAGING WEIGHT UNIT

KGM

PACKAGING WIDTH

165

