

Spare part round sealing gasket for IP66 watertight floor box with 2 Simon K45 mechanisms

REF. KFS2003



BASIC INFORMATION

DESCRIPTION

Seal and protect your electrical panel from potential water or dust ingress with the circular sealing gasket for Simon K45 mechanism holders. Designed to provide the highest level of safety, it offers IP66 certification as a guarantee of resistance. Manufactured with halogen-free, self-extinguishing thermoplastic insulating materials, it prevents flame propagation and smoke toxicity in case of fire. It can withstand installation temperatures ranging from -25°C to 60°C, with a maximum temperature of 90°C. Made of rubber for greater installation flexibility, it features a deep black finish that ensures seamless integration into any type of environment. With dimensions of Ø 101 mm x 6 mm, this product is designed as a replacement circular sealing gasket housed within the mechanism holder unit, which is not included in the reference.

COMPATIBILITY

K45 Solutions

ETIM CLASS

EC002420

TECHNICAL INFORMATION

IP RATING

IP66

KIT AVAILABILITY

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+650 °C (according to standard IEC 60670)

REMOVAL OF THE FRAME

Only with tool

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053380444

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053380444

PACKAGING VOLUME

178250

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

5

PACKAGING GROSS WEIGHT

0.001

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

155

PACKAGING NET WEIGHT

0.001

UNITARY PACKAGING GROSS
WEIGHT

0.001

PACKAGING LENGTH

230

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.001

