

Duplex fibre optic connector Simon 100 matt white

REF. 10000546-230



BASIC INFORMATION

DESCRIPTION

Fibre optic connector for high-speed data transmission with integration in flush-mounted installation.

FINISH

Matt white

MATERIAL

ABS Plastic

ETIM CLASS

EC001409

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

+5...+40

CONNECTOR TYPE

Optical fiber

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

NUMBER OF WIRES

2

FORMAT

Optical fiber

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Clamp

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053265468

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053265468

PACKAGING VOLUME

329232

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

57

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

76

PACKAGING NET WEIGHT

0.047

UNITARY PACKAGING GROSS
WEIGHT

0.047

PACKAGING LENGTH


76

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.047



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet