

Floor attachment base for mini columns with 1 side stainless steel Simon K45

REF. RALK005/8



BASIC INFORMATION

DESCRIPTION

Designed for floor attachment base for 4-side mini 1 side. With metal finish, the article is made of stainless steel and has dimensions of 100 x 100 mm x 81. This is a product designed as a replacement part, in the case of which is lost or must be replaced. It is in compliance with the regulation and is suitable for installation on any type of floor, be it a raised or concrete flooring. This is the temperature of installation optimum must be between -25 and 120 °, according to the manufacturer. The article is included in the Simon 27 series, a collection that offers all kinds of solutions to improve the workplace solutions in any environment, as for the maintenance of this base fixing, it is advisable to clean it with a soft, dry cloth and avoid abrasive cleaning products that are composed of chlorine.

FINISH

Metal

PACKAGING CONTENTS

Floor attachment base and fastening screws

ETIM CLASS

EC002454

MATERIAL

Stainless steel

REMARKS

Product envisaged as a replacement part, in the event of loss or substitution.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

EARTHING RESISTANCE

< 0.05 ?

KIT AVAILABILITY

No

AVAILABLE IN

1-sided, 2-sided (square and oval) and 4-sided

HEAT RESISTANCE (°C)

+650°C (according rule IEC 60695-10-2)

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

DIELECTRIC STRENGTH

Without perforation or contournement with 2000 V at 50H during 1 minute

INSULATION RESISTANCE (V-MΩ)

5 MOhms at 500 V.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-25 a 120° C

MAX TEMP DURING CONSTRUCTION WORK (°C)

+120° C

IP RATING

IP4X

VERSION

1-sided

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Using supplied screws

INSTALLATION TYPE

Suitable for installing on any floor type, whether raised or concrete

SCREWS REQUIRED FOR FLOOR FIXING

4

INSTALLATION DIRECTION

Horizontal

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 50085-2-4:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436056466

PRODUCT NET WEIGHT

0.315

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

1.472

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436056466

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.315

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

88

PACKAGING NET WEIGHT

0.315

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

123

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.315

PACKAGING LENGTH

136