

Spotlight DROP 2700 K Flood On Board Dimmer White

REF. 91892612-200



BASIC INFORMATION

DESCRIPTION

Perfect to create modular systems. A highlighted subtle is the that is achieved with these guards of the range Drop, belonging to the collection of architectural lighting of SIMON. And what to say about the spotlight Drop that here is presents? This is a spotlight 2700 K, which makes it possible to create environments with warm tones, the more relaxing and inspiring, total peaceful havens. By another part, has a type Flood optics (31°) and with the best LED technology possible, which allows a long service life, maximum lighting efficiency (up to 81 lm / W) and performance of light of the highest quality. Faithful reflection of the colours (CRI > 90). It also, with these spotlights we can create unique atmospheres, to the taste members of a home or a company or place people.

High performance with a size and functionality that allows you to save space and position, place the orientation of light as we are interested in, highlighting or indicating which we want. AND by changing the atmosphere of light to the time or the context in which we are

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contract

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING

IP20

CRI

90

COLOR TYPE

WW

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

DIRECTIONAL

Yes

LIGHTING EFFICIENCY (LM/W)

hasta 81 lm/W

POWER SUPPLY (V~)

48 V~

DRIVER INCLUDED

Yes

LUMENS (LM)

1280 lm

RAL

9016

ELECTRICAL CLASS

III

NUMBER OF LUMINAIRES

1

COLOR TEMPERATURE (K)

2700 K

ENERGY EFFICIENCY

A+

MACADAM STEPS

<3 Step MacAdam

CONTROL

On Board Dimmer

L70 (°C)

150000h at 25°C

OPTICS

Flood 31°

L90 (°C)

40000h at 25°C


POWER (W)

19 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547049714

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547049714

PACKAGING VOLUME

4452120

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.68

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

180

PACKAGING NET WEIGHT

0.62

UNITARY PACKAGING GROSS
WEIGHT

0.795

PACKAGING LENGTH

298

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.62