


## 2-way switch 10AX 250V~ with screw terminal connection system Simon 73

REF. 73201-39



### BASIC INFORMATION

#### DESCRIPTION

Functionality and innovation come together in the tilting 2-way switch of the collection Simon 73 Loft to give your room the guarantee maximum speed, convenience and workplace solutions of their electrical mechanisms. Made of metal materials with halogen-free thermoplastic isolated, it protects the room in case of fire, being able to reach maximum temperatures of -25 to 50 °C. At the time of its installation, the 2-way switch Simon 73 Loft is compatible with power supplies with a voltage of 250 Volt and an intensity of 10 AX, allowing a cable section of 1.5 to 2.5 mm and stripping of the 13 mm With screw terminal connection, allows the possibility of implementing the signaling function via the use of cradle blinking and rocker with viewer.

#### COMPATIBILITY

Simon 73 Loft and Simon 73 frames

#### PACKAGING CONTENTS

Mechanism

#### ETIM CLASS

EC001590

#### REMARKS

Possibility of implementing indicator function using a signal light support and rocker with viewer.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CURRENT (A)

10 AX

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### IP RATING

IP20

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### TYPE OF MECHANISM

Pivoting

### VERSION

Single

### INDICATOR FUNCTION

No

### MONOBLOCK

No

### VOLTAGE (V~)

250 V~

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

13

### INSTALLATION TYPE

Suitable for surface mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### REGULATIONS

No aplica

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053255346

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.027

### PRODUCT NET WEIGHT

0.027

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053028704

### UNITS CONTAINED PACKAGING

10

### PACKAGING HEIGHT

52

### PACKAGING WIDTH

105

### PACKAGING LENGTH

220

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1201200

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.305

### PACKAGING NET WEIGHT


0.27

### PACKAGING WEIGHT UNIT


KGM

# MECANISMOS SIMON 73


## Mecanismos básicos / Basic switches




Interrupor unipolar / Single-pole switch  
73101-39




Pulsador / Push button switch  
73150-39



Interrupor bipolar / Double pole switch  
73131-39




Conmutador cruce / Intermediate switch  
73251-39



Conmutador / 2-way switch  
73201-39

## Mecanismos con luminoso / Switches with light



Pulsador / Push button switch  
73160-39