

Blind corner accesory recessed for Low UGR White

REF. 86024430-209



BASIC INFORMATION

FINISH

White

APPLICATION

Residential

ETIM CLASS

EC002556

MATERIAL

Aluminium

PACKAGING CONTENTS

1 unit

TECHNICAL INFORMATION

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

Ta Max 35°C

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Recessed

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

No

WARRANTY

5 years

REGULATIONS

Dir. 2014/30/UE EMC | Dir. 2014/35/UE LVD | Dir. 2009/125/EC ErP (Reg. UE 2019/2015) | Dir. 2009/125/EC ErP (Reg. UE 2019/2020) | Dir. 2011/65/UE RoHS + post. mod. | EN IEC 55015:2019 + A11:2020 | EN IEC 60598-2-1:2021*1 | EN IEC 61547:2023 | EN 60598-2-2:2012*2 | EN IEC 61000-3-2:2019 + A1:2021 | EN 62493:2015 | EN 61000-3-3:2013 + A1:2019 + A2:2021 | EN 62717:2017 + A2:2019 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053299128

UNITARY PACKAGING HEIGHT

70

UNITARY PACKAGING WIDTH

125

UNITARY PACKAGING LENGTH

125

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

1093750

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.62

PRODUCT NET WEIGHT

0.56

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053299128

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

70

PACKAGING WIDTH

125

PACKAGING LENGTH

125

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1093750

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.62

PACKAGING NET WEIGHT

0.56

PACKAGING WEIGHT UNIT

KGM