

Mini beacon kits 830.31 WW

REF. 83031042-883



BASIC INFORMATION

DESCRIPTION

Kit for mini beacon 830 of the series Simon with Ecorrae category A, a colour temperature of 3100 K and a light intensity of 250lm / 4,9W. The range of mini beacon 830 kits Simon has three different finishes (stainless steel with light effect control unit, stainless steel with effect of light points in circle and stainless steel with circular light effect) and is comprised by a type of mini beacons perfect to achieve a courtesy lighting in indoor such as staircases, corridors. This kit of mini beacons has a service life of a 25,000 hours if works at 25 ° C, although it works perfectly in places with a temperature located between the -15 and 40°C. Its power supply is 230 V, its power of 50 / 60 Hz and has a control type On / Off. Manufactured in stainless steel mini beacon, this kit is installed in a semi-recessed both in the wall and floor and its dimensions are 0.45 mm diameter and 36 mm, as well as a weight of just 500 g.

BODY MATERIAL

Stainless steel

APPLICATION

Indoor courtesy lighting, Indoor decorative lighting

PACKAGING CONTENTS

3 Units + 1 power supply

ETIM CLASS

EC002892

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

250 lm/4,9W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Translucent

OPERATING TEMPERATURE RANGE (°C)

-15 - 40 °C

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

230 V~

L70 (°C)

25,000 h at 25 °C

POWER (W)

4.9 W

COLOR TEMPERATURE (K)

3100 K

COLOR TYPE

WW

POWER SUPPLY DIMENSIONS (MM)

42.2x40.2x22 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

51 lm/W

SERVICE LIFE

25.000 h

CRI

80

LUMENS (LM)

250 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Semi-flush mount (wall, floor)

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

2 years 25,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.373

PRODUCT NET WEIGHT

0.373

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053094013

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

50

PACKAGING WIDTH

180

PACKAGING LENGTH

240

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2.16

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.373

PACKAGING WEIGHT UNIT

KGM