

**Trim plate for trunking entry 20x30 mm for 1 element
black Simon K45**

REF. K21/14



BASIC INFORMATION

DESCRIPTION

All a selection of connectivity solutions for work stations with the series Simon K45, discover all the factors technical knowledge of the trim plate for 20x30 mm trunking entry of a single element, with a finished in black colour. Is not included the 20x30 mm trunking in the element since its version is individual, with a number of modules medium, it has also the signaling function available, the installation of the trim plate is suitable for surface-mounted and to be flush mounted, making it at all times the installation for the user anywhere in your home. The element is manufactured with thermoplastic materials, running its function perfectly in different temperature ranges. The dimensions to be taken into account for its installation are 45 x 45 x 8.5 mm, the versions of plates that provide direct access for cabling, combination of separate cabling and tube or press estopa.

FINISH

Black

MATERIAL

Plastic

COMPATIBILITY

Simon K45 housing for mounting on the wall, floor, ceiling and furniture and Simon 500 Cima housings.

PACKAGING CONTENTS

Plate for 20x30 mm trunking entry

ETIM CLASS

EC000011

REMARKS

The 20x30 mm trunking is not included.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

AVAILABLE IN

Versions of plates that provide direct access to the wiring, combination of isolated wiring and conduit or cable gland

IP RATING

IP20

KIT AVAILABILITY

No

NUMBER OF MODULES

Half

RAL

7021

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.01

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

1207224

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436036727

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.2

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

81

PACKAGING NET WEIGHT

0.2

UNITARY PACKAGING GROSS
WEIGHT

0.01

PACKAGING WIDTH

92

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

162