Flat voice and data plate with dust cover for 2 RJ45 Panduit® for 1 element white Simon 500 Cima

REF. **50019089-030**



BASIC INFORMATION

DESCRIPTION

Simon, we present this plate for voice and data connections of the collection 500 Cima. This collection is one of the workplace solutions with Simon, designed to improve and facilitate the workplace solutions electrical, voice, data and multimedia connections. The plate with dust cover, it has a flat plate and finished in white colour. It is an element and has two connectors RJ45 Panduit and its module adaptable, which is also included. Also, it is the snap-fit to be bonded to wrappers both horizontal and vertical, without the need for adapter. In this modern series 500 Cima it has a click terminal connection, reducing the installation time by nearly 50% and making the use of tools is almost Null. It also has new plates category 6, a greater space for the cabling and it is undoubtedly one of the best solutions for quick connections and ensure transmissions.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Panduit® Mini-Com Series.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
Yes

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
9003

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
RJ45 Panduit® connectors

SNAP-FIT TYPE
RJ45 Panduit® connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.031

PRODUCT NET WEIGHT
0.031

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053097168

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.31

PACKAGING WEIGHT UNIT
KGM


50
50
5
11