

Presence detector with 105 ° coverage angle and approximate range of 8 meters, white lens Simon 100

REF. 10001343-039



BASIC INFORMATION

DESCRIPTION

This product allows you to control and regulate the light according to the presence of people in the space. It is a presence detector with a coverage angle of 105 ° and a range of approximately 8 meters. It has a white lens. A product from the famous Simon 100 series. Do you need an article number? Here it is: 10001343-039. A detector that can be recessed with easy installation. Check the available installation manual. The materials used in the various electronic components are reinforced with a halogen-free thermoplastic insulation, guaranteeing maximum safety and resistance to weathering, shocks and temperatures ... resistant to extreme temperatures (optimum range from 0 to 40 ° C, but can withstand temperatures of 75 ° C). Here you can check all the features of this detector, as well as other relevant information, such as compatible products and logistics data.

FINISH

Black

PACKAGING CONTENTS

Presence detector and instruction sheet

ETIM CLASS

EC000133

COMPATIBILITY

Frames Simon 100

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

MAXIMUM NUMBER OF
AUXILIARY PUSH-BUTTONS

5 (without indicator light or night
light)

COMPATIBLE WITH HALOGENS
WITH ELECTRONIC
TRANSFORMER (W)
800 W

NUMBER OF POSSIBLE
ELEMENTS
Half element

COMPATIBLE WITH
FLUORESCENT LAMPS (VA)
60 VA

INDICATOR FUNCTION
No

IP RATING
IP20

COMPATIBLE WITH LOW
CONSUMPTION (W)
50 W

TYPE OF MECHANISM
Detection

POWER OF NORMAL LOADS (W)
50-120 W / 50-240 W

OPERATING TEMPERATURE
RANGE (°C)
0 - 40 °C

POWER SUPPLY (V~)
127/230 V~

APPROXIMATE RANGE (M)
8 m

STORAGE TEMPERATURE RANGE
(°C)
-25 - 75 °C

VERSION
Individual

INSTALLATION AND MAINTENANCE

CLAW

INSTALLATION DIRECTION
Horizontal

INSTALLATION TYPE
Suitable for recreation

REGULATIONS

REGULATIONS

EN 60669-2-1:2004+A1:2009+A12:2010;EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053090718

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.046

PRODUCT NET WEIGHT

0.046

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053090718

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

55

PACKAGING WIDTH

40

PACKAGING LENGTH

65

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

143000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT


0

PACKAGING NET WEIGHT

0.046

PACKAGING WEIGHT UNIT

KGM



Para información más detallada consultar la hoja de instrucciones
 For more detailed information check the instruction sheet