

**Combined two-pole socket (European/American) 10A 250V~
for half element with screw terminal connection white
Simon 27 Play**

REF. 27438-34



BASIC INFORMATION

DESCRIPTION

Two-pole socket-outlet mixed (European - American) 16 A and 250V white in colour, it is also available in ivory colour. The terminal connection process is with screw. The wire that supported is 2.5 mm and the stripping of the wire required to perform successful connection is 15 mm The type of operation is by insertion type and the lids include the child protection function. It does not include any type of engraving on its surface. It is of module width and square shape with dimensions 45 x 45 mm This manufactured by metal components with halogen-free insulation and thermoplastic trim. It belongs to the range of outlets in the series Simon 27 Play. To carry out its installation correctly, it is necessary to use a universal recessed box or, in its absence, a baseboard surface-mounted.

FINISH

White

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Socket outlet with cover

ETIM CLASS

EC000125

REMARKS

Suitable for replacement or export.

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

NOMINAL VOLTAGE (V~)

125/250 V~

NUMBER OF POSSIBLE ELEMENTS

Half element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

FORMAT

Two-pole

POWER SUPPLY (V~)

125/250 V~

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Insertion

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

CURRENT (A)

10 A

MONOBLOCK

No

VERSION

Single

INSTALLATION AND MAINTENANCE

CLAW

Simon 27

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small
spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush
mounting

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053252123

UNITARY PACKAGING HEIGHT

22.8

UNITARY PACKAGING WIDTH

36.7

UNITARY PACKAGING LENGTH

45.8

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.038

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.036

PRODUCT NET WEIGHT

0.031

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053038390

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

53

PACKAGING WIDTH

160

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.866

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.715

PACKAGING NET WEIGHT

0.62

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos

DIAGRAMA DE CONEXIÓN

