


IP66 Tray for mounting into false floor 1 K45 mechanism

REF. KGT100RF/74



BASIC INFORMATION

DESCRIPTION

Discover the new IP66 floor box for recessed installation from Simon. Its dimensions are 148 x 148 x 81 mm for installation in a cut-out of 125 x 125 mm. Secured by its built-in clamps, we ensure a safe and stable anchorage on the floor. With an elegant black finish, it is made from self-extinguishing thermoplastic material and is halogen-free, complying with strict fire safety regulations by preventing flame propagation and ensuring low toxicity in the presence of smoke. Compatible with the mechanism support frames from the range (references KFH1xx/xx), it allows for the integration of functions from the K45 series, thus enabling a complete installation. It includes a beveled frame that conceals the floor cuts, ensuring a flawless finish. For maintenance, simply use a soft, dry cloth. This box belongs to the prestigious Simon K45 series, renowned for its quality and functionality in technical and commercial environments.

FINISH

Black

COMPATIBILITY

K45 Solutions

MATERIAL

Polycarbonate

ETIM CLASS

EC000114

REMARKS

To complete the installation of the product, it must be combined with a frame and cover for the IP66 waterproof floor box.

TECHNICAL INFORMATION

IK CLASSIFICATION

08

KIT AVAILABILITY

Yes

MAXIMUM LOAD (KG)

1500 Kg - Closed box | 250 Kg - Open box

IP RATING

IP66

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RECESS DIMENSION (MM)

125x125

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+650 °C (according to standard IEC 60670)

REMOVAL OF THE FRAME

Only with tool

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60670-23:2008 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053333266

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053333266

PACKAGING VOLUME

1837680

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

1140

PACKAGING GROSS WEIGHT

0.391

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

1240

PACKAGING NET WEIGHT

0.297

UNITARY PACKAGING GROSS WEIGHT

0.391

PACKAGING LENGTH

1300

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.297

