

Two-pole socket outlet 16A 250V~ with safety device and screw terminal connection ivory Simon 31

REF. 31431-61



BASIC INFORMATION

DESCRIPTION

Are you looking for a socket outlet of the Simon 31 series? We present you this two-pole socket outlet electrical elements that resists up to 16 Amps and 250 Volt voltage, and has a safety device ideal for the smallest of the house are safe at all times, it has a screw terminal system, its finish is ivory and has 1 element and 2 modules. The stripping of wire must be done to 13 millimetres. In terms of materials, Simon focuses always have the best. In this case, intervene in its manufacture, which have different metal components with halogen-free insulation and thermoplastic trim, also,. What maintaining or cleaning must have these products? Just avoid abrasive cleaners that may have chlorine. Use only a cloth moistened in water with soap.

FINISH

Ivory

PACKAGING CONTENTS

Socket outlet with cover

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP20

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

Two-pole

TYPE OF MECHANISM

Insertion

VERSION

Single

INDICATOR FUNCTION

No

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053055533

PACKAGING VOLUME
3026595

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
0.9

UNITARY PACKAGING GROSS
WEIGHT
0.09

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.9

PRODUCT NET WEIGHT
0.09

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM