

Flush-mounted housing Cima Pro of 2 double elements for flush-mounted wall frame Cima Pro of 2 double elements Simon Cima

REF. SBM250



BASIC INFORMATION

FINISH

Grey

MATERIAL

Plastic

COMPATIBILITY

With flush-mounted wall frame
Cima Pro of 2 double elements
Simon Cima

ETIM CLASS

EC002601

TECHNICAL INFORMATION

NUMBER OF CLAMP-HOLDER HOLES

6

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

07

KIT AVAILABILITY

No

NUMBER OF PRE-PUNCHED HOLES 31 X 4.65MM

6

RAL

7011

RECESS DIMENSION (MM)

156 x 163 mm

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION DIRECTION

Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436038653

PRODUCT NET WEIGHT

0.23

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

1542750

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436038653

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

55

PACKAGING NET WEIGHT

0.23

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.23

PACKAGING LENGTH

170