Flat voice and data plate without dust cover 1 element for 1 RJ45 compatible other manufacturers graphite Simon 500 Cima

REF. **50000185-038**



BASIC INFORMATION

DESCRIPTION

With dimensions of 50 x 50 x 11 mm, the Plate for voice and data plate without dust cover for an element for an RJ45 connector with compatibility with other manufacturers in graphite finish of the Simon 500 Cima series is one of the most demanded products private individuals and professionals in the sector of the electricity and electronics. The plate includes clips for fastening in vertical and horizontal enclosures without the need for an adaptor. Its resistance to knocks, impacts is due to the thermoplastic component halogen-free. This material; guarantees no flame propagation in case of fire and the low toxicity in case of smoke. Also, the easy maintenance of its structure prevent oxidation and deterioration that occurs with its own use, the high temperatures and the passage of time.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Simon®, ADC Krone® KM8 Keystone Series, AMP netconnect® Serie Standard 110, SL110, SL Tool less, 216000 and 216005, BeldenCDT® GigaFlex Keystone Series, Brand-Rex®, Ersys®, General Cable®, Molex®, Panduit® Netkey Series, Ortronics® Clarity TechChoice Keystone Series, Rit®, Systimax® and manufacturers of RJ45 with Keystone I and II format snap fitting.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
No

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
7021

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
Keystone I, II, ATT®/Avaya®

SNAP-FIT TYPE
Keystone I, II, ATT®/Avaya®

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

80

UNITARY PACKAGING WIDTH

224

UNITARY PACKAGING LENGTH

290

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

5196800

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.025

PRODUCT NET WEIGHT

0.025

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053095287

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

80

PACKAGING WIDTH

224

PACKAGING LENGTH

290

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.472

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT


0

PACKAGING NET WEIGHT

0.5

PACKAGING WEIGHT UNIT

KGM


50
50
5
11