

Back kit for 4 elements with 2 Schuko socket outlets, 1 2xUSB 2.1A charger with smartcharge and 2xRJ45 black Simon 100

REF. 10010403-039



BASIC INFORMATION

COMPATIBILITY

Front Kit Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC002846

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

4 elements

FORMAT

Schuko,USB

INDICATOR FUNCTION

No

CURRENT (A)

16 A

IP RATING

IP20

TYPE OF MECHANISM

Insertion

NOMINAL VOLTAGE (V~)

250 V~

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

POWER SUPPLY (V~)

250 V~

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

USB CURRENT (A)

2,1 A

USB VOLTAGE (V~)

5 Vdc

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Schuko: 1 click connection (1 click®)

TYPE OF TERMINAL CONNECTION - FUNCTION 2

RJ45 / USB: Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201374

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.44

PRODUCT NET WEIGHT

0.44

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053201374

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

55

PACKAGING WIDTH

88

PACKAGING LENGTH

302

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1461680

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.44

PACKAGING NET WEIGHT

0.44

PACKAGING WEIGHT UNIT

KGM