


FRAME FOR 2 ELEMENTS ALUMINIUM SIMON 82 CONCEPT

REF. 8200627-093



BASIC INFORMATION

FINISH

Aluminium

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING

Flow pack

PACKAGING CONTENTS

Frame with 2 elements

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

AVAILABLE IN

1, 2, 3 and 4 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INNER FRAME

Aluminium

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface or recessed mount

REGULATIONS

WARRANTY

3 years

REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053280133

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.035

PRODUCT NET WEIGHT

0.035

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053228258

UNITS CONTAINED PACKAGING

5

PACKAGING HEIGHT

58

PACKAGING WIDTH

93

PACKAGING LENGTH

176

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

949344

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.176

PACKAGING NET WEIGHT

0.175

PACKAGING WEIGHT UNIT

KGM