

Quick connection patch cord female-Schuko RZ - 0.6 kV 3-pole with 2 meters in halogen-free material with a section of 3 x 2.5mm² graphite

REF. CR6020/14



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Flexible connection system and
SIMON 400

ETIM CLASS

EC002587

MATERIAL

Plastic,PVC

TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

IP RATING

IP20

RAL

7021

CONNECTOR TYPE

GST18

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

250 V~

CURRENT (A)

16 A

INSTALLATION AND MAINTENANCE

REMOVAL OF CONNECTOR

Only with tool

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8426436055018

PACKAGING VOLUME
8.95

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
170

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.386

PACKAGING WIDTH
195

PACKAGING NET WEIGHT
1.93

PRODUCT NET WEIGHT
0.386

PACKAGING LENGTH
270

PACKAGING WEIGHT UNIT
KGM