

Single rocker for two-pole switch with pilot light and I/O symbol grey Simon 75

REF. 75032-35



BASIC INFORMATION

DESCRIPTION

Discover the six finishes for the individual rocker for double-pole switch with pilot and engraved I / O of the Simon 75 series, it is recommended to choose a frame with the same baseboard colour as the selected rocker. The rocker for double-pole switch with pilot light is of individual version, this model of rocker for switches includes 1 element and the signaling function, but does not include any type of module. The limit of the recommended temperature range is from 5°C to 40°C reaching maximum temperatures of -25 to 50°C. It is suitable for installations in surface mounting or flush mounting. For the correct maintenance of the rocker, it is recommended to use a soft cloth slightly moistened in soapy water. This individual rocker for pilot switch applies the regulation UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009. The main manufacturing material is thermostable, with a plastic grey finish. The individual rocker for double-pole switch with pilot light includes I / O recording (input / output).

FINISH

Grey

MATERIAL

Thermostable

PACKAGING CONTENTS

Single rocker and fastening bracket

SYMBOL

I/O (input/output)

COMPATIBILITY

Simon 75 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

Yes

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.019

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053036334

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

3026595

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0.385

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

83

PACKAGING NET WEIGHT

0.095

UNITARY PACKAGING GROSS WEIGHT

0.019

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

221