Flat voice and data plate without dust cover for 2 RJ45 Panduit® for 1 element white Simon 500 Cima

REF. **50019189-030**



BASIC INFORMATION

DESCRIPTION

Simon through its 500 Cima range, has been recognized with a high compatibility between the different brands of connectors of the highest quality in the market. Its direct snap-fit installation system ensures simplicity and installation is 50% faster, it is not necessary to strip or braid cables. The security, the modularity with their possible extensions according to every need, and its convenience when connected to both copper and fibre optics, solves any requirement of its installation, offering in addition the possibility to establish a high speed connectivity, compatible with all our security systems. It is a flat voice and data plate without dust cover for 2 RJ45 Panduit ®, 1 element, white finish Simon 500 Cima. Compatible with Panduit ® RJ45 connectors. Single Angled Plate. Plate for 1 and 2 RJ45. The plate has clips for fastening in vertical and horizontal housings without the need for an adaptor. Dimensions 50 x 50 x 11 mm Halogen-free thermoplastic that guarantees no flame propagation in case of fire and low toxicity in case of smoke (-5 to 60 °C). Easy maintenance and cleaning, do not use abrasive cloths and / or abrasive cleaners containing chlorine.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Panduit® Mini-Com Series.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
No

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
9003

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
RJ45 Panduit® connectors

SNAP-FIT TYPE
RJ45 Panduit® connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.031

PRODUCT NET WEIGHT
0.031

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053097182

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604


PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.31

PACKAGING WEIGHT UNIT
KGM


50
50


5
11