

German socket outlet monoblock 16A 250V~ with safety device and screw terminal connection aluminium Simon 73 Loft

REF. 73432-53



BASIC INFORMATION

DESCRIPTION

One of the outlets boards to be installed in both private homes and large public and private buildings is the Schuko monoblock socket with a current of 16A, a voltage A 250V ~, with safety device and screw terminal connection finished in aluminium of the Simon 73 Loft series. Its measures are, 75x75 mm, in addition to having a cable section 2.5 mm and supports a stripped wire 15 mm. The metal components with halogen-free insulation and thermoplastic trims with which it has been manufactured make it a perfect socket for withstanding extreme conditions in different environments. Its easy installation and insertion operation are a plus in this piece of a module, all of them with the best price that can be found on the market today.

FINISH

Aluminium

PACKAGING CONTENTS

Socket outlet with cover and frame

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

Yes

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP20

NOMINAL VOLTAGE (V~)

250 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

FORMAT

Schuko

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Insertion

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION TYPE

Suitable for surface mounting

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053068373

PACKAGING VOLUME
1.565

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
82

PACKAGING GROSS WEIGHT
0.505

UNITARY PACKAGING GROSS
WEIGHT
0.101

PACKAGING WIDTH
83

PACKAGING NET WEIGHT
0.505

PRODUCT NET WEIGHT
0.101

PACKAGING LENGTH
230

PACKAGING WEIGHT UNIT
KGM