


## Custom button box 4 functions for lighting and blinds control in living room, LON coupling unit and slide control regulator cold aluminium Simon 82 Sense

REF. 8000655-093



### BASIC INFORMATION

#### FINISH

Matt aluminium

#### MATERIAL

Thermoplastic

#### PACKAGING CONTENTS

Coupling unit, keypad, Slide Control, RJ12 cable and instructions

#### REMARKS

Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### INDICATOR FUNCTION

Yes

### TYPE OF MECHANISM

Touch

### CABLE SECTION ADMITTED (MM)

From 0,5 to 2,5 mm

### IP RATING

IP20

### OPERATING TEMPERATURE

RANGE (°C)

0 - 45 °C

### NUMBER OF POSSIBLE ELEMENTS

2 elements

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### POWER SUPPLY (V~)

24 Vdc

## INSTALLATION AND MAINTENANCE

### BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

### CLAW

Optional

### INSTALLATION TYPE

Suitable for surface and flush mounting

### CABLE STRIPPING NECESSARY (MM)

8

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

EN 50428; EN 60669; EN 50491-1; EN 50491-2; EN14908-1; EN14908-2

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053128916

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

0.17

### PRODUCT NET WEIGHT

0.17

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053128916

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

83

### PACKAGING WIDTH

80

### PACKAGING LENGTH

120

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

0.797

### PACKAGING VOLUME UNIT

DMQ

### PACKAGING GROSS WEIGHT

0.17

### PACKAGING NET WEIGHT

0.17

### PACKAGING WEIGHT UNIT

KGM