# Flat voice and data plate with dust cover for 2 RJ45 Panduit® for 1 element graphite Simon 500 Cima

REF. **50019089-038**



## BASIC INFORMATION

### DESCRIPTION

Flat base plate of the Simon 500 Cima series in graphite colour, it is a plate for and voice and data with dust cover for 2 Panduit ® RJ45 for 1 element and also with dust cover. Its fastening is simple, as the plate Simon 500 Cima incorporates the clips necessary to install the plate in both vertical and horizontal enclosures. Designed according to the regulation UNE-EN 60670-1: 2006, it has been manufactured with halogen-free thermoplastic material, a totally safe that will avoid the flame spread in case of fire and the high toxicity in case of fire and smoke, respectively. It measures 50 x 50 x 11 mm and its cleaning is quite simple, as you only need to use a soft, dry cloth, without having to use any abrasive cleaner with chlorine among its components, since the plate can be damaged and does not operate correctly.

### FINISH

Graphite

### PACKAGING CONTENTS

Flat voice and data plate with dust cover

### ETIM CLASS

EC000018

### COMPATIBILITY

Simon 500 Cima enclosures

### REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

## TECHNICAL INFORMATION

### AVAILABLE MARKET
CE

### COMPATIBLE WITH CONNECTORS
Panduit® Mini-Com Series.

### RJ45 CONNECTORS
Not included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

### DUST PROTECTION
Yes

### FORMAT
RJ45

### IP RATING
IP20

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

### NUMBER OF MODULES
1

### PLATE TYPE
Flat

### RAL
7021

### RJ45 ADAPTOR MODULE
Included in voice and data plate

### SNAP-FIT RJ45 PLATES
RJ45 Panduit® connectors

### SNAP-FIT TYPE
RJ45 Panduit® connectors

### VERSION
Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

### INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

### INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

### REMOVAL OF THE PLATE
Only with tool

## REGULATIONS

### REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.031

PRODUCT NET WEIGHT
0.031

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053097175

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
0

PACKAGING WIDTH
0


PACKAGING LENGTH
0

PACKAGING VOLUME
0

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.31

PACKAGING WEIGHT UNIT
KGM


50
50
5
11