

Modular luminaire 726 120x30 WW DALI

REF. 72661333-883



BASIC INFORMATION

DESCRIPTION

Luminaire 726 modular 120 x 30 with electrical control DALI. This product of indoor lighting is part of the Simon series of modular luminaires 726. The colour of its lights LED is warm (WW) and the luminaire comes in an aluminium finish, which makes it perfect for installation, maintaining the appearance of any place. It is a luminaire Simon category B, with a temperature of the colour of 3000 K and 2900 lumens at a maximum power of his 39 W power supply is 100-240 V and has a frequency of 50 / 60 Hz. The total weight of the luminaire is 2,6 kilos and measures 1195 x 295 millimetres. The installation recommended by the brand for this product is in false ceiling, with the hardware. It is worth noting that, thanks to its quality in the manufacture, withstands temperatures very variables and its durability, is rather wide at full performance.

DIFFUSER MATERIAL

PMMA

PACKAGING CONTENTS

1 unit

APPLICATION

General lighting

ETIM CLASS

EC002892

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS (LM)

2900 lm

IP RATING

IP20

ELECTRICAL CLASS

Type 2

LUMENS/W

2900 lm/39W

OPERATING TEMPERATURE RANGE (°C)

-15 - 40 °C

INTEGRATED POWER SUPPLY

No

OPTICS

General

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3000 K

LIGHT BEAM APERTURE ANGLE (°)

120°

POWER (W)

39 W

CONTROL

DALI

COLOR TYPE

WW

SERVICE LIFE

30.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

74 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Plaster ceiling, surface mount, flush mount, concealed profile and suspended

MINIMUM INSTALLATION HEIGHT

250

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION TYPE

False ceiling, visible hardware

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

3.2

PRODUCT NET WEIGHT

2.4

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053194171

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

1281

PACKAGING WIDTH

40

PACKAGING LENGTH

350

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2579500

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

3200

PACKAGING NET WEIGHT

2.4

PACKAGING WEIGHT UNIT

KGM