

Wall luminaire 717.30 Surface mount WW Detector

REF. 71730530-983



BASIC INFORMATION

DESCRIPTION

Designed to be installed in the wall in a comfortable and simple way in just a few minutes, the Luminaire 717.30 surface-mounted WW Detector with optics of the series Simon 710 is creating authentic sensation from private individuals and professionals from the sector by the multiple possibilities it offers in terms of lighting. This is an element that has dimensions of 340 mm (dia.) x 100 mm and a weight of 1.43 kg, in addition to lumens watt of 1400 lm / 21 W. Another of its features are: Control electrical detector power of 230 V and detailed frequency of 50 Hz. Also, the function, courtesy light is available in the version with detector. Finally, the swicht integrated allows you to change the mode of operation depending on the application, with all the advantages that this means for the correct operation of electrical installations.

APPLICATION

Passage areas

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC002892

REMARKS

Courtesy light function available in detector version. The built-in switch can be used to change the mode of operation according to the application.

TECHNICAL INFORMATION

FREQUENCY

50 Hz

DIRECTIONAL

No

LUMENS (LM)

1400 lm

IP RATING

IP44

DRIVER INCLUDED

Yes

LUMENS/W

1400 lm/21W

OPERATING TEMPERATURE RANGE (°C)

-15 - 35 °C

ELECTRICAL CLASS

Type 2

OPTICS

General

POWER SUPPLY (V~)

230 V~

INTEGRATED POWER SUPPLY

Yes

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3000 K

L70 (°C)

30,000 h at 25 °C

POWER (W)

21 W

CONTROL

Detector

COLOR TYPE

WW

SERVICE LIFE

30.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

67 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Surface

INSTALLATION TYPE

Wall

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Quick connector

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053146903

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.6

PRODUCT NET WEIGHT

1.4

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053146903

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

106

PACKAGING WIDTH

350

PACKAGING LENGTH

350

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

12985000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

1.4

PACKAGING WEIGHT UNIT

KGM