
Angled voice and data plate with dust cover for 1 element with 2 RJ45 category 6A FTP aluminium Simon 500 Cima

REF. **50001086-033**



BASIC INFORMATION

DESCRIPTION

Simon, we present this plate for voice and data connections of an element, has 1 and 2 RJ45 connectors, it is a plate and finished in aluminium. Supports a cabling of 22-24 AWG and has dust shutter and, in addition, it is manufactured with metal components with halogen-free thermoplastic insulation of the highest quality. This plate is part of the Simon 500 Cima series, which is characterized by being one of the faster on the market in terms of assembly. Thanks to its click-terminals, as it is not necessary to strip or braid any wire. Only insert, tighten and the piece itself to make the remainder. The collection Simon 500 Cima is the most complete solutions for wall, floor or open-plan areas, guaranteed always a high speed data transmission. Simon 500 Cima is synonymous with flexibility, functionality and security. This plate includes: Snap-fit in the plate for fastening in enclosures and an adapter and RJ45 connectors.

FINISH

Aluminium

COMPATIBILITY

Simon 500 Cima enclosures

PACKAGING CONTENTS

Angled voice and data plate with dust cover, 2 RJ45 category 6A FTP and installation manual

ETIM CLASS

EC000018

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
22-24 AWG wiring

RJ45 CONNECTION
Without insertion tool

CONNECTOR CHARACTERISTICS
category 6A FTP

NUMBER OF CONNECTORS
2

RJ45 CONNECTORS
Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
Yes

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Angled

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
Keystone I, II, ATT®/Avaya®

SNAP-FIT TYPE
Keystone I, II, ATT®/Avaya®

VERSION
Single

INSTALLATION AND MAINTENANCE

REMOVAL OF CONNECTOR

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.079

PRODUCT NET WEIGHT

0.079

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053097601

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

80

PACKAGING WIDTH

224

PACKAGING LENGTH

290

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.052

PACKAGING VOLUME UNIT

HLT

PACKAGING GROSS WEIGHT


0

PACKAGING NET WEIGHT

1.58

PACKAGING WEIGHT UNIT

KGM


50
50
5
11
10