


Astronomical digital time switch with display

REF. 75819-39



BASIC INFORMATION

DESCRIPTION

State-of-the-art technology, high performance in performance and appearance are combined in these switches, which include a control switch that allows several interesting functions to be activated, in addition to saving a lot of energy. This astronomical time switch digital operating time switch with display is one of the star products of the Simon 75 series, it is compatible with the Simon 77 series, which allows cables to be connected without the need for stripping or tools to be installed, so installation time is greatly reduced. Its structure is made of the best materials and consists of electronic components with halogen-free thermoplastic insulation, which allows, among other things, a high resistance to high temperatures. A truly functional, durable switch with all the features Simon offers in each and every one of his switches and components.

COMPATIBILITY

Frames Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations, Simon 28, Simon 31, Simon 44 Aqua, Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 and Simon 88

PACKAGING CONTENTS

Astronomical time switch and instruction sheet

ETIM CLASS

EC001590

REMARKS

Includes operating control Includes Spanish and Portuguese cities.

TECHNICAL INFORMATION

AVAILABLE MARKET CE	FREQUENCY 50 Hz	MODE OF OPERATION Digital
CABLE SECTION ADMITTED (MM) From 1,5 to 2,5 mm	INDICATOR FUNCTION No	POWER SUPPLY (V~) 230 V~
NUMBER OF CONTACTS 5	IP RATING IP20	RELAY OUTPUT CURRENT (A) 8A (2 A Inductive)
NUMBER OF CONTROLLABLE CIRCUITS 1	MAXIMUM QUANTITY PER CIRCUIT 1	STORAGE TEMPERATURE RANGE (°C) -20 - 75 °C
NUMBER OF POSSIBLE ELEMENTS 1 element	OPERATING TEMPERATURE RANGE (°C) 0 - 40 °C	VERSION Single
		NUMBER OF WIRES 4

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 8	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	INSTALLATION TYPE Suitable for surface and flush mounting
CLAW Simon 27		

REGULATIONS

REGULATIONS

UNE-EN 60730-1:2003 + A1:2005 + A12:2004 + A13:2005 + A14:2007 + A16:2008 + A2:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053080283

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.125

PRODUCT NET WEIGHT

0.125

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053080283

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

57

PACKAGING WIDTH

76

PACKAGING LENGTH

76

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

329232

PACKAGING VOLUME UNIT

MTQ

PACKAGING GROSS WEIGHT

0.125

PACKAGING NET WEIGHT

0.125

PACKAGING WEIGHT UNIT

KGM