
Quick connection patch cord female-Schuko 3-pole 2 meters long in PVC with cross-section of 3 x 1.5mm² white

REF. **CR1020/9**



BASIC INFORMATION

FINISH
White

MATERIAL
Plastic,PVC

COMPATIBILITY
Flexible wiring system and SIMON 400

ETIM CLASS
EC002587

TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

CONNECTOR TYPE

GST18

CURRENT (A)

10 A

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

NOMINAL VOLTAGE (V~)

250 V~

RAL

9003

INSTALLATION AND MAINTENANCE

REMOVAL OF CONNECTOR

No tools needed

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.299

PRODUCT NET WEIGHT
0.299

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436039780

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
170

PACKAGING WIDTH
195

PACKAGING LENGTH
270

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
8950500

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.3

PACKAGING NET WEIGHT
1.495

PACKAGING WEIGHT UNIT
KGM