

Spotlight 740.01 Rail 4000K Spot Black

REF. 74001038-284



BASIC INFORMATION

DESCRIPTION

The colour temperature of 4000 K and its light white neutral type are may the main qualities of the 740.01 Rail Spotlight 4000 K Spot Black. AND is that this spotlight achieved thanks to this type of light emission of a 1830 lumens for its 20W of power, a number very high compared with other spotlights that have 30 W of power.

In terms of installation, this is an easy installation, something that is possible thanks to the fact that its installation is of type rail, one of the easiest to this type of spotlights. It is a spotlight that is used both to provide general and accent lighting. This allows the organisation of elements using the light in open spaces, making it stand out from other elements, something essential in many local and economic sectors.

On having a Spot category optics, this spotlight has an angle of opening the light beam of 15 degrees. No we must not to mention its luminaire has a long service life, as at least must last for 30000 hours of operation at a constant temperature. This along with its aluminium body and its high thermal design allows you to ensure its durability to very long term.

APPLICATION

Accent lighting,General lighting

ETIM CLASS

EC001744

REMARKS

This version is only available on request. For information on terms please contact our commercial representatives.

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

NW

OPTICS

Spot

COLOR TEMPERATURE (K)

4000 K

LIGHTING EFFICIENCY (LM/W)

91,5 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

80

LUMENS (LM)

1830 lm

POWER (W)

20 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

1830lm/20W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053215548

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053215548

PACKAGING VOLUME

4624000

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

250

PACKAGING GROSS WEIGHT

0.8

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

136

PACKAGING NET WEIGHT

0.6

UNITARY PACKAGING GROSS
WEIGHT

0.8

PACKAGING LENGTH

136

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.6