

Single rocker for switches aluminium Simon 82

REF. 82010-33



BASIC INFORMATION

FINISH

Aluminium

MATERIAL

Plastic

PACKAGING CONTENTS

Single rocker and fastening bracket

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 and Simon 77 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

No

IP RATING

IP21

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053052143

UNITARY PACKAGING WEIGHT
UNIT

KGM

UNITS CONTAINED PACKAGING

20

UNITARY PACKAGING GROSS
WEIGHT

0.023

UNITARY PACKAGING WIDTH

0

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053052143

PACKAGING VOLUME

3017190

UNITARY PACKAGING LENGTH

0

PACKAGING GROSS WEIGHT

0.47

PACKAGING VOLUME UNIT

MMQ

PRODUCT NET WEIGHT

0.023

PACKAGING HEIGHT

82

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING VOLUME

0

PACKAGING LENGTH

223

PACKAGING WIDTH

165

PACKAGING NET WEIGHT

0.46