


## Ledline 815 WW 1200mm

REF. 81531033-983



### BASIC INFORMATION

#### DESCRIPTION

LEDLINE 815 of the Simon series, with type optics, colour temperature of 3100 K and a light intensity of 1400 lm / 18 W Its power supply is 230 V and has a frequency of 50 / 60 Hz and control of type On / Off. It works in places with a temperature located between the -15 and 40°C, approximately, and offers a service life of a 35000 hours, more or less, operating at 25 ° C. This LEDLINE it is luminaires, interconnectable up to 150 W and its installation can be carried out in surface-mounted. It measures 1200x32x22 mm and has a weight of 300 g and finished in aluminium colour. The LEDLINE 815 of the range of Simon is perfect for lighting ambience, coving or trivialidades and is perfect for use in both hotels and in offices, since its line extra-flat and their easy installation make overhang corridors, cabinets and on shelves.

#### APPLICATION

Ambient lighting,Alcove lighting,Furniture lighting

#### PACKAGING CONTENTS

1 unit

#### ETIM CLASS

EC000282


#### REMARKS

Luminaires for interconnecting up to a maximum of 150W

## TECHNICAL INFORMATION

<b>FREQUENCY</b> 50 - 60 Hz	<b>DRIVER INCLUDED</b> Yes	<b>LUMENS (LM)</b> 1400 lm
<b>IP RATING</b> IP20	<b>ELECTRICAL CLASS</b> Type 1	<b>LUMENS/W</b> 1400 lm/18W
<b>OPERATING TEMPERATURE RANGE (°C)</b> -15 - 40 °C	<b>INTEGRATED POWER SUPPLY</b> Yes	<b>OPTICS</b> General
<b>POWER SUPPLY (V~)</b> 230 V~	<b>L70 (°C)</b> 35,000 h at 25 °C	<b>PHOTOBIOLOGICAL CLASSIFICATION</b> Exempt category
<b>COLOR TEMPERATURE (K)</b> 3100 K	<b>LIGHT BEAM APERTURE ANGLE (°)</b> 120°	<b>POWER (W)</b> 18 W
<b>CONTROL</b> On/Off	<b>COLOR TYPE</b> WW	<b>SERVICE LIFE</b> 30.000 h
<b>CRI</b> 80	<b>LIGHTING EFFICIENCY (LM/W)</b> 78 lm/W	

### CHROMATICS CRI ICONS



## INSTALLATION AND MAINTENANCE

<b>INSTALLATION TYPE</b> Surface	<b>TYPE OF TERMINAL CONNECTION - FUNCTION 1</b> Screw
-------------------------------------	--

## REGULATIONS

### WARRANTY

3 years 30,000 h

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT	UNITARY PACKAGING WEIGHT UNIT	PACKAGING MEASUREMENT UNIT
0	KGM	MMT
UNITARY PACKAGING WIDTH	PACKAGING EAN	PACKAGING VOLUME
0	8421053122433	0.586
UNITARY PACKAGING LENGTH	UNITS CONTAINED PACKAGING	PACKAGING VOLUME UNIT
0	1	DMQ
UNITARY PACKAGING VOLUME	PACKAGING HEIGHT	PACKAGING GROSS WEIGHT
0	25	0.388
UNITARY PACKAGING GROSS WEIGHT	PACKAGING WIDTH	PACKAGING NET WEIGHT
0.388	35	0.388
PRODUCT NET WEIGHT	PACKAGING LENGTH	PACKAGING WEIGHT UNIT
0.388	670	KGM