Trim plate for 1 SUB-D9 connector (VGA/Serial port) for 1 element black Simon K45

REF. **K100/14**



BASIC INFORMATION

DESCRIPTION

Element of plate for Multimedia reference K100 / 14, is part of the range of products and components Simon K45 professionals installations, with a great variety of use in Different kinds of assemblies professionals. It is a trim plate For 1 D9-SUB connector (VGA or Serial Port), individual version with Number elements versions with VGA connector, screw connection and by Welding manufactured in plastic, is finished in black colour. Integrated Components of character halogen-free thermoplastic that guarantees no flame propagation In case of fire and low toxicity in the event of Smoke. This model measures 45 x 22.5 x 8.5 mm, and provides the fastening the connector using screws with Hexagonal profile for SUB-D9-Way connectors.

FINISH

Black

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Plate for 1 SUB-D9 connector

ETIM CLASS

EC000018

REMARKS

The plate includes housings for fastening the connector using screws with a hexagonal profile for D-SUB-connectors. The connector is not included (must be ordered separately).

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Versions with VGA connector and solder or screw connection

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

FORMAT

SUB-D9

INDICATOR FUNCTION

No

IP RATING

IP20

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

NUMBER OF MODULES

Four

RAL

7021

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
27216

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.005

PRODUCT NET WEIGHT
0.005

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436038103

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
72

PACKAGING WIDTH
72

PACKAGING LENGTH
105

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
544320

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.1

PACKAGING NET WEIGHT
0.1

PACKAGING WEIGHT UNIT
KGM