

Digital signal converter module to DMX

REF. 89000301-039



BASIC INFORMATION

COMPATIBILITY

Digital signal (110V or 230V)

PACKAGING CONTENTS

Digital signal converter module
and instructions

ETIM CLASS

EC000533

REMARKS

Has two independent digital inputs for each converter.

TECHNICAL INFORMATION

BASIC CHARACTERISTICS

Allows linking of detectors or push-button switches to Scena by means of a 230V signal.

IP RATING

IP20

MAXIMUM NUMBER OF CHANNELS

1

TYPE OF MECHANISM

Using Scena

OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

OPERATION

Link push-button switch and/or detector

POWER SUPPLY (V~)

12 VDC/DMX

SENSOR STATUS DISPLAY

Yes

STORAGE TEMPERATURE RANGE (°C)

0 - 45 °C

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

CABLE CHARACTERISTICS DATA

Multicore AWG 24; 2 shielded twisted pairs with impedance of 120 Ohms

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

False ceiling or universal box.

REGULATIONS

REGULATIONS

UNE-EN 50491-3:2010 + 2004/108/CE + 2006/95/CE

LOGISTICS INFORMATION

| | | |
|-----------------------------------|----------------------------------|-------------------------------|
| UNITARY EAN CODE | UNITARY PACKAGING WEIGHT UNIT | UNITS CONTAINED PACKAGING |
| 8421053096499 | KGM | 1 |
| UNITARY PACKAGING GROSS WEIGHT | UNITARY PACKAGING WIDTH | PACKAGING MEASUREMENT UNIT |
| 0.455 | 0 | MMT |
| UNITARY PACKAGING HEIGHT | PACKAGING EAN | PACKAGING VOLUME |
| 0 | 8421053096499 | 0.384 |
| UNITARY PACKAGING LENGTH | PACKAGING GROSS WEIGHT | PACKAGING VOLUME UNIT |
| 0 | 0 | DMQ |
| PRODUCT NET WEIGHT | PACKAGING HEIGHT | PACKAGING WEIGHT UNIT |
| 0.455 | 60 | KGM |
| UNITARY PACKAGING VOLUME | PACKAGING LENGTH | PACKAGING WIDTH |
| 0 | 80 | 80 |
| | PACKAGING NET WEIGHT | |
| | 0.455 | |