

**Flat voice and data plate without dust cover for 1 element
for 1 RJ45 R&M® (Reichle de Massari®) white Simon 500
Cima**

REF. 50020185-030



BASIC INFORMATION

DESCRIPTION

The collection Simon 500 Cima for flat voice and data plates for 1 RJ45 Reichle de Massari contact circular, for 1 element, is the option safe to ensure high speed data transmission of a working area. With a design in white, includes snap-fit for its installation both vertically and horizontally without the need of adapters. Despite does not have dust cover, the security continues to regulations in this flat base plate to be made of thermoplastic autoextinguible and halogen-free that prevents the no flame propagation and toxicity by smoke in case of fire., in addition, electromagnetic interference and transmission errors due to its constant separation of cabling electrical, voice, data and multimedia connections. The bond of Simon and Reichle de Massari, comprise a jump in the quality, functionality and innovation in the range of flat voice and data plates 500 Cima.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

COMPATIBLE WITH CONNECTORS

Classic series Cat5e (R925371, R925370), Star Cat6 series (R302373, R302372) and Advanced Cat6A series (R509500, R509504) from R&M® (Reichle de Massari®).

RJ45 CONNECTORS

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

DUST PROTECTION

No

FORMAT

RJ45

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

1

PLATE TYPE

Flat

RAL

9003

RJ45 ADAPTOR MODULE

Included in voice and data plate

SNAP-FIT RJ45 PLATES

RJ45 R&M® connectors

SNAP-FIT TYPE

RJ45 R&M® connectors

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053097205

PACKAGING VOLUME
0.604

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
54

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.015

PACKAGING WIDTH
52

PACKAGING NET WEIGHT
0.15

PRODUCT NET WEIGHT
0.015

PACKAGING LENGTH
215

PACKAGING WEIGHT UNIT
KGM

