Spotlight DROP Mini 3000 K Flood On Board Dimmer White

REF. **91891612-300**



BASIC INFORMATION

DESCRIPTION

Spotlight Drop mini with a colour temperature of 3000 K from warmer tones that invites peace of mind and the calm but with tones as more neutral settings for that this is not relaxation. They invite you to feel comfortable, with us same and towards the rest, but also active. By another part, with high performance lighting due to a optics Spot of quality and the best LED technology that provides to 81 lm / W. Respecto to the dimensions of this spotlight, are 55 () x84 mm and it is a spotlight with die-cast aluminium.

In this type of luminaires, it is important to know its orientation. In this case, the horizontal and vertical are 360 °. Spotlight with luminaire for walls, roof and suspended. Made of die-cast aluminium, with a white finish, Control and dimming per system On board dimmer.

Do you want to know more about this spotlight Drop? You can see more features of this spotlight mini in this same site, in the flanges. Also you can consult our online catalogue; to locate him to it, you should note the following Art.No.: 91891612-300.

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contract

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING
IP20

OPERATING TEMPERATURE RANGE (°C)
0 - 35 °C

POWER SUPPLY (V~)
48 V~

RAL
9016

COLOR TEMPERATURE (K)
3000 K

CONTROL
On Board Dimmer

CRI
90

DIRECTIONAL
Yes

DRIVER INCLUDED
Yes

ELECTRICAL CLASS
III

ENERGY EFFICIENCY
A+

L70 (°C)
150000h at 25°C

L90 (°C)
40000h at 25°C

COLOR TYPE
NW

LIGHTING EFFICIENCY (LM/W)
hasta 81 lm/W

LUMENS (LM)
1020 lm

NUMBER OF LUMINAIRES
1

MACADAM STEPS
<3 Step MacAdam

OPTICS
Flood 31°

POWER (W)
13.5 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE
8436547049530

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.58

PRODUCT NET WEIGHT
0.4

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8436547049530

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
83

PACKAGING WIDTH
180

PACKAGING LENGTH
298

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
4452120

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.44

PACKAGING NET WEIGHT
0.4

PACKAGING WEIGHT UNIT
KGM