

Cablomax aluminum trunking 2m 130x55mm

REF. TK01103/8



BASIC INFORMATION

DESCRIPTION

Cablomax channel made of aluminum, 2 meters in length and a section of 130x55mm, with 1 front compartment capable of mounting all functions from the K45 range without the need for accessories, achieving significant time savings during installation, as well as having two additional internal compartments for easy cable distribution. Regardless of the designed structure, it ensures the isolation of electrical wiring from voice, data, and multimedia, while maintaining the correct bending radius throughout the distribution. It adapts to different architectures through its installation accessories and unique design. Made of high-quality anodized aluminum, it has a protection rating of IP4X and IK07. We are talking about a fireproof, self-extinguishing, and non-flame propagating material.

FINISH

Aluminium

COMPATIBILITY

K45 Functions

MATERIAL

Aluminium

ETIM CLASS

EC001938

REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

TECHNICAL INFORMATION

IK CLASSIFICATION

07

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

IP RATING

IP4X

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF THE FRAME

Only with tool

REMOVAL OF COVER

Only with tool

INSTALLATION TYPE

On Wall and Ceiling

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053227497

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8426436027855

PACKAGING VOLUME

7293000

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

8

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

195

PACKAGING GROSS WEIGHT

17

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

170

PACKAGING NET WEIGHT

17

UNITARY PACKAGING GROSS
WEIGHT

0

PACKAGING LENGTH

220

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

2.125