


Adaptor plate aluminium Simon 82

REF. 82088-33



BASIC INFORMATION

DESCRIPTION

With a single gesture we can change the frames of the elements that make up the electrical systems in our homes or installations in companies. The aluminium adaptative Plate of the Simon 82 series, suitable for both surface-mounted or to be recessed, is perfect for this purpose. In addition to this shade, we are looking at a plate available in five different finishes. The security with which it has been manufactured, complying with the regulation UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009 standards, is a bonus, as is its price. The recommended temperature range is from 5° to 40° C, but this plate can withstand temperatures from -25° to 50° C, with a magnificent behavior in all kinds of environments. For maintenance and cleaning, it is sufficient to use a soft cloth slightly moistened in soapy water, avoiding abrasive cloths and / or abrasive cleaners containing chlorine. Changing a system has never been easier.

FINISH

Aluminium

MATERIAL

Plastic

PACKAGING CONTENTS

Plate

SYMBOL

Without engravings

COMPATIBILITY

Simon 27 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN IEC 61058-1:2018 | EN 61058-1-1:2016 | EN 61058-1-2:2016 | EN 61058-2-1:2011 | EN 61058-2-5:2011 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053259634

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

1504126

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.014

PRODUCT NET WEIGHT

0.014

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053053201

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

82

PACKAGING WIDTH

83

PACKAGING LENGTH

223

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1517738

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.14

PACKAGING WEIGHT UNIT

KGM

