

Simon Slim System modular luminaire 4000K Symmetrical op 1.5 m DALI Black

REF. 91772305-488



BASIC INFORMATION

FINISH

Black

APPLICATION

Domestic, Office, Retail, Hotel, Contract

PACKAGING DIMENSIONS (MM)

1465x85x85 mm

BODY MATERIAL

Aluminium

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001743

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

CONTROL

DALI

LIGHTING EFFICIENCY (LM/W)

Up to 82 lm/W

IP RATING

IP20

DIRECTIONAL

Yes

LUMENS (LM)

4620 lm

OPERATING TEMPERATURE RANGE (°C)

0 to 35°C

DRIVER INCLUDED

No

NUMBER OF LUMINAIRES

1

POWER SUPPLY (V~)

48 Vdc

ELECTRICAL CLASS

Type 3

MACADAM STEPS

<3 Step MacAdam

RAL

9005

ENERGY EFFICIENCY

A+

OPTICS

Symmetric

COLOR TEMPERATURE (K)

4000K

COLOR TYPE

CW

POWER (W)

56 W

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended

REGULATIONS

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547077670

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.186

PRODUCT NET WEIGHT

0.736

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8436547077670

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

85

PACKAGING WIDTH

83

PACKAGING LENGTH

1465

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

10335575

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

1.186

PACKAGING NET WEIGHT

0.736

PACKAGING WEIGHT UNIT

KGM