

Spotlight DROP 4000 K Flood On Board Dimmer Black

REF. 91892612-488



BASIC INFORMATION

DESCRIPTION

The spotlights DROP, another alternative within the multiple range of luminaires SIMON, offering different benefits: Saving of space, maximum possibilities to direct it and focus the light, can be integrated into modular systems and all the benefits of the best LED technology, Simon offers in a range of spotlights unique.

We present this spotlight Drop of 4000 K (colour temperature close to cold tones, which allows you to designing lighting spaces to our taste, no limits, no restrictions. In socket to our needs and conforming atmospheres with unique lighting effects, fully customizable. Account with a light flux of 1400 lm being its lighting efficiency of up to 81 lm / W. It, its control system On board dimmer offers comfort and a user-friendly system for its operation and dimming.

. The best materials are tapped in the manufacture of a spotlight with die-cast aluminium. We can position, place suspended, in the wall or ceiling. Ref of product: 91892612-488.

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contract

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING

IP20

CRI

90

COLOR TYPE

CW

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

DIRECTIONAL

Yes

LIGHTING EFFICIENCY (LM/W)

hasta 81 lm/W

POWER SUPPLY (V~)

48 V~

DRIVER INCLUDED

Yes

LUMENS (LM)

1400 lm

RAL

9005

ELECTRICAL CLASS

III

NUMBER OF LUMINAIRES

1

COLOR TEMPERATURE (K)

4000 K

ENERGY EFFICIENCY

A+

MACADAM STEPS

<3 Step MacAdam

CONTROL

On Board Dimmer

L70 (°C)

150000h at 25°C

OPTICS

Flood 31°

L90 (°C)

40000h at 25°C


POWER (W)

19 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547049769

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.795

PRODUCT NET WEIGHT

0.62

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8436547049769

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

83

PACKAGING WIDTH

180

PACKAGING LENGTH

298

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

4452120

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.68

PACKAGING NET WEIGHT

0.62

PACKAGING WEIGHT UNIT

KGM