

Plastic bucket for adjustable floor box with 3 double elements for floor pavement installation Simon Cima

REF. G33



BASIC INFORMATION

FINISH

Grey

MATERIAL

Thermoplastic

COMPATIBILITY

With adjustable floor boxes of 3 double elements for pavement and inspection covers of 3 double elements Simon Series S.

ETIM CLASS

EC000114

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

RECESS DIMENSION (MM)

220 x 227 mm

KIT AVAILABILITY

No

INSTALLATION AND MAINTENANCE

NUMBER OF CHANNEL ENTRIES

2

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

SCREWS REQUIRED FOR SLAB FIXING

Minimum 2 (1 on each side, diagonal). It is recommended to secure the mounting box with 4 screws for maximum secure fixation

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436013940

PRODUCT NET WEIGHT

0.945

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

5196800

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436013940

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.875

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

80

PACKAGING NET WEIGHT

0.945

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

224

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.945

PACKAGING LENGTH

290