


USB-C charger 65W Simon 75

REF. 7500383-039



BASIC INFORMATION

DESCRIPTION

USB C Charger 65W Simon 75. The USB C port has a maximum power of 65W. It features Power Delivery technology for quick and efficient charging.

MATERIAL

FR4,Steel,Plastic

ETIM CLASS

EC002949

REMARKS

Suitable for electronic devices with a universal USB-C charger, mandatory in the EU under current legislation.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

1.5...2.5

FORMAT

USB

FREQUENCY

50 - 60 Hz

IP RATING

IP20

LINKABLE

Yes

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

0...+35

POWER SUPPLY (V~)

127/230 V~

RECESS DIMENSION (MM)

40

STORAGE TEMPERATURE RANGE (°C)

-25...+50

USB CHARACTERISTICS

USB C = 5,0 VDC 3,0 A 15,0 W /
9,0 VDC 3,0 A 27,0 W / 12,0 VDC
3,0 A 36,0 W / 15,0 VDC 3,0 A
45,0 W / 20,0 VDC 3,25 A 65,0 W

USB CURRENT (A)

3.0 A

USB PORT TYPE

C

POWER DELIVERY USB

Yes

QUICK CHARGE USB

Yes

USB VOLTAGE (V~)

5/20 V~

VOLTAGE (V~)

127/230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

8

CLAW

Simon 27

REMOVAL OF COVER

Only with tool

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053452486

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.15

PRODUCT NET WEIGHT

0.14

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053452486

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

57

PACKAGING WIDTH

76

PACKAGING LENGTH

76

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

329232

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.17

PACKAGING NET WEIGHT

0.14

PACKAGING WEIGHT UNIT

KGM

