

## Trim plate for 1 S-Video connector for 1 element white Simon K45

REF. K103/9



## BASIC INFORMATION

### DESCRIPTION

Our trim plate for 1 S-Video connector is part of our collection Simon K45 and offers a few simple finishes in white tone. In a version that comes with 1 S-Video connector, screw connection, this plate does not include the connector but the housing for fastening with a rear screw. Measures 45x22,5x8,5 mm and has been manufactured in halogen-free thermoplastic to ensure that there is no flame spread in case of fire to take the case of fire, and a extremely low toxicity in case of smoke. Also, you can use the 90° positioner to guide the piece vertically and be able to combine in vertical enclosures. And it is that the best mechanisms of workplace solutions are found in the collection Simon K45, designed to meet the needs of our customers more modernistas. This is where you will find all kinds of solutions to give your home with the latest trends technological.

### FINISH

White

### MATERIAL

Plastic

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

### PACKAGING CONTENTS

Plate for 1 S-Video connector

### ETIM CLASS

EC000018

### REMARKS

The plate includes housings for fastening the connector with a rear screw. Connector not included (to be purchased separately).

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### INDICATOR FUNCTION

No

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### AVAILABLE IN

Version with 1 S-Video connector, screw connection

### IP RATING

IP20

### NUMBER OF MODULES

Four

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### KIT AVAILABILITY

No

### RAL

9003

### FORMAT

S-Video

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

### INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

### REMOVAL OF THE PLATE

Only with tool

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WIDTH  
0

UNITARY PACKAGING LENGTH  
0

UNITARY PACKAGING VOLUME  
544.32

UNITARY PACKAGING VOLUME  
UNIT  
MMQ

UNITARY PACKAGING GROSS  
WEIGHT  
0.005

PRODUCT NET WEIGHT  
0.005

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING EAN  
8426436038158

UNITS CONTAINED PACKAGING  
20

PACKAGING HEIGHT  
72

PACKAGING WIDTH  
72

PACKAGING LENGTH  
105

PACKAGING MEASUREMENT  
UNIT  
MMT

PACKAGING VOLUME  
544320

PACKAGING VOLUME UNIT  
MMQ

PACKAGING GROSS WEIGHT  
0.1

PACKAGING NET WEIGHT  
0.1

PACKAGING WEIGHT UNIT  
KGM