

Ofiblock Compact mounted and wired with 2 sockets, 2 UPS sockets, and 1 rear diecut in the last position

REF. KFC105022LP1/9



BASIC INFORMATION

DESCRIPTION

KIT Ofiblock Compact offering maximum functionality in a compact size. With its minimal depth and wide range of accessories, it is suitable for installation on raised floors, walls, furniture, metallic surfaces with magnets, or on DIN rails. Designed to meet the specific needs of each space, it comes with pre-mounted and pre-wired K45 modules, providing a complete and efficient solution. It includes a side entry with a 3-pole male quick connector (Wieland type) and a rear knockout in the last position for optimal routing of the voice, data, or multimedia cable feeding the K45 module you choose to install. This module is electromagnetically protected and shielded thanks to the included protective tray. Self-extinguishing halogen-free thermoplastic covers protect the space in the event of a fire.

FINISH

White

COMPATIBILITY

Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

PACKAGING DIMENSIONS (MM)

KFC10522LP1 9 Caixa.jpg

ETIM CLASS

EC002759

REMARKS

Profile with higher compactness to enable convergence of power, voice, data and multimedia solutions with minimal depth

TECHNICAL INFORMATION

FORMAT

Schuko

IP RATING

IP4X

MONOBLOCK

No

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

CURRENT (A)

16 A

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

INSTALLATION DIRECTION

Horizontal, Vertical

SECURING POSSIBILITIES

Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053290514

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.518

PRODUCT NET WEIGHT

0.518

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053290514

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

60

PACKAGING WIDTH

55

PACKAGING LENGTH

320

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1056000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.548

PACKAGING NET WEIGHT

0.518

PACKAGING WEIGHT UNIT

KGM