

PVC trunking of 2m 185x55mm with 3 compartments for K45 functions in white color

REF. TK12143/9



BASIC INFORMATION

DESCRIPTION

PVC channel of 2m length and a section of 185x55mm, with 3 front compartments capable of mounting all functions of the K45 range without the need for accessories, achieving significant time savings in assembly. Regardless of the designed structure, it ensures the isolation of electrical wiring from voice, data, and multimedia, in addition to maintaining its correct bending radius throughout the distribution. It adapts to different architectures through its installation accessories, with the possibility of branching to Minichannel and Cable Guide through the pre-punched line. Manufactured in high-quality PVC color RAL 9003, it is provided with a protection degree of IP4X. We are talking about a fireproof, self-extinguishing, and flame non-propagating material. The indicated price is per meter and is supplied in batches of 3 units (6 meters in total)

FINISH

White

COMPATIBILITY

K45 Functions

MATERIAL

PVC

ETIM CLASS

EC001938

TECHNICAL INFORMATION

IK CLASSIFICATION

07

KIT AVAILABILITY

No

RAL

9003

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF THE FRAME

Only with tool

SECURING POSSIBILITIES

With slots every 25cm for screw access

REMOVAL OF COVER

Only with tool

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8426436028036

PACKAGING VOLUME
66963000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
6

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
195

PACKAGING GROSS WEIGHT
18.504

UNITARY PACKAGING GROSS
WEIGHT
2.313

PACKAGING WIDTH
170

PACKAGING NET WEIGHT
13.878

PRODUCT NET WEIGHT
2.313

PACKAGING LENGTH
2020

PACKAGING WEIGHT UNIT
KGM