

Plate with Duplex Power Socket 2P+T graphite Simon26

REF. 2600424-068



BASIC INFORMATION

FINISH

Graphite

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

CURRENT (A)

16 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

POWER SUPPLY (V~)

127 V~

VOLTAGE (V~)

127 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

11

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

7506207326798

UNITARY PACKAGING GROSS
WEIGHT

96.67

PACKAGING LENGTH

303

UNITARY PACKAGING HEIGHT

41.5

PRODUCT NET WEIGHT

82

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

85

UNITARY PACKAGING WEIGHT
UNIT

GRM

PACKAGING VOLUME

3.845

UNITARY PACKAGING LENGTH

120

PACKAGING EAN

7506207326804

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITS CONTAINED PACKAGING

9

PACKAGING GROSS WEIGHT

0.816

UNITARY PACKAGING VOLUME

0.423

PACKAGING HEIGHT

135

PACKAGING NET WEIGHT

738

UNITARY PACKAGING VOLUME
UNIT

DMQ

PACKAGING WIDTH

94

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Incluye Placa, mecanismo(s) y chasis

DIAGRAMA DE CONEXIÓN

